

BA200


BioSystems

Automation and Flexibility

Clinical Chemistry Analyser

Clinical analysis

human - centred biotech



We understand your needs
ensuring maximum flexibility
and performance.



—
BA200 analytical
system: designed
to enhance the
laboratory workflow.



Technological innovation


The highest flexibility and compactness

A single rotor for samples and reagents allows maximum compactness without losing flexibility. The rotor layout is completely free to better fit the users' needs.

Highest performance, minimal maintenance

The optical bench is based on our patented LED technology, which requires the minimum maintenance and allows the longest lifespan. The LEDs performance also enables the throughput of 200 t/h.





Make your work easier

Automation saves time and avoids manual procedures. The new automatic hemolysis function guarantees more accurate results.



Reliable validated system

Reagents are specifically designed and validated to ensure robust and reliable results. The reagent barcodes and the volume detection system allow a completely control of the reagent used at any time.



Systemic solutions

In combination with the original validated BA reagents (complete panel of clinical chemistry including special tests), the BA200 forms a complete system that perfectly adapts to the demands of the laboratories in its segment.

The BA System and our worldwide customer care team offer together a complete solution, integrating reagents and analysers jointly designed and validated under the same european brand.

Our main focus is to satisfy our users requirements and strive to exceed their technical, economical and human expectations. We are committed to provide the best possible user experience.



Scientific
& Technical
Support



Remote
Assistance



Customized
Support

Technical specifications

Highlights

- Throughput of 200 t/h (clinical chemistry and turbidimetry reagents).
- Maximum throughput of 300 t/h with ISE Module: Na⁺, K⁺, Cl⁻ and Li⁺ (optional).
- High reagent and sample capacity (88 positons) with barcode reader, the highest grade in flexibility.
- Automatic hemolysis on whole blood samples.
- Reaction rotor washing station and continuous evaluation of cuvette status.
- Dynamic baseline with SMART LED Technology.
- Photometric range up to 3.5 Abs and optical resolution of 0.0001 Abs.
- Full-capacity to integrate into LIS (ASTM, HL7).

Ordering Information

Item	Code	Quantity
BA200 analyser/BA200 analyser with ISE module	83200/83200ISE	-
Wheeled table + computer support	AC17346	1 unit
Wheeled table	AC17345	1 unit
Reaction rotor	AC11485	10 units
Concentrated washing solution	AC16434	500 mL
Acid washing solution (WS1)	AC17201	4 x 20 mL
Alkaline washing solution (WS2)	AC17205	4 x 15 mL
Sample wells (pediatric cups)	AC10770	1000 units
Reagent bottles 60 mL + caps	AC16362	10 units
Reagent bottles 20 mL + caps	AC16363	10 units
Amber reagent bottles 60 mL + caps	AC16364	10 units
Amber reagent bottles 20 mL + caps	AC16365	10 units
ISE Module*		
Sodium Electrode (Na ⁺)	5201	1 unit
Potassium Electrode (K ⁺)	5202	1 unit
Chloride Electrode (Cl ⁻)	5207	1 unit
Reference Electrode	5204	1 unit
Lithium Electrode (Li ⁺)	5205	1 unit
Spacer Electrode	5206	1 unit
Reagent pack Na ⁺ /K ⁺ /Cl ⁻ /Li ⁺	5420	1 unit
Urine diluent 125 mL	5412	125 mL
Urine diluent 500 mL	5408	500 mL
ISE Cleaning solution Kit	5421	1 unit
Bi-level quality control kit (Na ⁺ /K ⁺ /Cl ⁻ /Li ⁺)	2814	1 unit
Tri-level quality control kit (Na ⁺ /K ⁺ /Cl ⁻ /Li ⁺)	2815	1 unit

*If you want information about the ISE module consumables, contact us at customersupport@biosystems.es.

Throughputs		Optical system	
Throughput without ISE module	200 t/h	Light Source	LED
Throughput with ISE module	300 t/h	Wavelengths	340 - 405 - 505 - 535 - 560 - 600 - 635 - 670 nm
ISE module (optional)		Photometric range	
Sample type	Serum, plasma or urine	-0.2 to 3.5 A	
Electrode type	Na ⁺ , K ⁺ , Cl ⁻ , Li ⁺ (optional)	Internal resolution	0.0001 A
Sample volume	Serum: 100 µL / Urine: 200 µL	Measurement accuracy (for 340 nm, 405 nm and 505 nm)	CV <1% at 0.1 A CV <0.1% at 2 A
Sample handling		Dimensions	
Sample rotor capacity	Up to 88 flexible positions	Size (w., d., h.)	1070 x 690 x 680 mm
Barcode reader	Yes	Weight	166 Kg
Size of primary tubes	Diameter 12 mm to 16 mm (max. height 100 mm)	Electrical and environmental requirements	
Sample well	13.5 mm diameter	Main voltage	115 to 230 V
Sample types	Serum, plasma, urine, whole blood, cerebrospinal liquid, semen and biological fluids	Main frequency	50 or 60 Hz
Dispensing mode	Ceramic piston pump with low maintenance	Electric power	500 VA max.
Pipetting volume	From 2 µL to 40 µL	Room temperature	From 10 to 35 °C From 10 to 30 °C (with ISE module)
Pipetting resolution	0.1 µL	Relative humidity	<85% without condensation
Predilution ratio	From 1:1 to 1:200	Altitude	<2500 m
Clot detector	Yes	Fluidic requirements	
Tip wash	Inside and outside	Water inlet	External tank or mains water supply
Reagent handling		Water type	Purified type II
Volume of reagent bottles	20 mL, 60 mL	Water consumption	<9 L/h
Cooled reagent	Yes	Bottle of high concentration waste	2.4 L
Temperature range of refrigerator	From 6 to 11 °C (measured at 21 °C)	Bottle of washing solution	2.4 L
Barcode reader	Yes	Minimum computer requirements	
Reagent volume R1	90 µL to 300 µL	Operating system	Windows® 10 64 bit (x64)
Reagent volume R2	10 µL to 100 µL	CPU	Equivalent to Intel Core i3 @3.10 GHz or higher
Dispensing mode	Ceramic piston pump with low maintenance	RAM	4 GB
Pipetting resolution	0.1 µL	Hard Disk	40 GB or higher
Tip wash	Inside and outside	Monitor minimum resolution	1024x768
Reactions rotor		Connector of serial channel	USB
Reaction volume range	From 180 µL to 440 µL	Laboratory Information Systems (LIS)	
Number of wells	120	Connectivity to LIS	HL7 and ASTM protocols
Well material	UV methacrylate	Regulations and Standards Compliance	
Type of incubation	5 min. (fixed)	IVD Regulation (EU)	2017/746
Temperature	37.0 °C		
Temperature accuracy	± 0.2 °C		
Number of mixers	1		
Cuvette washing system	8 steps washing station		

Intended use: automated analyser for the measurement of analyte concentrations in human clinical specimens using *in vitro* diagnostics reagents. For *in vitro* professional use in the clinical laboratory only.





BA200

Reagents

Test	Code	RA	RB	mL/Kit	Comments
α-AMYLASE DIRECT <i>Direct substrate</i>	21550 23550	8 x 20 mL 4 x 20 mL	- -	160 80	
α-AMYLASE PANCREATIC <i>IFCC</i>	21799	2 x 60 mL	2 x 15 mL	150	
α-AMYLAZ-EPS <i>IFCC</i>	21534	2 x 60 mL	2 x 15 mL	150	
α-GLUCOSIDASE NEW <i>Glucose oxidase/Peroxidase</i>	21522	2 x 20 mL	2 x 5 mL	50	Std Inc
α1-ACID GLYCOPROTEIN <i>Immunoturbidimetric assay</i>	23107	1 x 60 mL	1 x 15 mL	75	
ADENOSINE DEAMINASE (ADA) <i>Adenosine-glutamate dehydrogenase</i>	23754	2 x 16 mL	1 x 10 mL	40	WR
ALANINE AMINOTRANSFERASE (ALT/GPT) <i>IFCC</i>	21533 23533	8 x 60 mL 4 x 60 mL	8 x 15 mL 4 x 15 mL	600 300	
ALBUMIN <i>Bromocresol green</i>	21547 23547	10 x 60 mL 4 x 60 mL	- -	600 240	
ALBUMIN (MICROALBUMINURIA) <i>Immunoturbidimetric latex assay</i>	22324 23324	4 x 60 mL 1 x 60 mL	4 x 15 mL 1 x 15 mL	300 75	
ALKALINE PHOSPHATASE (ALP)-AMP <i>AMP buffer (IFCC)</i>	21592 23592	4 x 60 mL 1 x 60 mL	4 x 15 mL 1 x 15 mL	300 75	
ALKALINE PHOSPHATASE (ALP)-DEA <i>DEA buffer</i>	21590 23590	4 x 60 mL 1 x 60 mL	4 x 15 mL 1 x 15 mL	300 75	
AMMONIA <i>Glutamate dehydrogenase</i>	23532	1 x 20 mL	1 x 7 mL	27	RA
ANGIOTENSIN CONVERTING ENZYME (ACE) <i>FAPGG</i>	21796	2 x 60 mL	-	120	
ANTI-STREPTOLYSIN O (ASO) <i>Immunoturbidimetric latex assay</i>	22923 23923	2 x 60 mL 1 x 60 mL	2 x 15 mL 1 x 15 mL	150 75	

Test	Code	RA	RB	mL/Kit	Comments
APOLIPOPROTEIN A-1 (APO A-1)					
Immunoturbidimetric assay	23095	1 x 60 mL	1 x 15 mL	75	
APOLIPOPROTEIN B (APO B)					
Immunoturbidimetric assay	23098	1 x 60 mL	1 x 15 mL	75	
ASPARTATE AMINOTRANSFERASE (AST/GOT)					
IFCC	21531 23531	8 x 60 mL 4 x 60 mL	8 x 15 mL 4 x 15 mL	600 300	
β-HYDROXYBUTYRATE					
Hydroxybutyrate dehydrogenase/Diaphorase	21525	1 x 60 mL	1 x 15 mL	75	
BILIRUBIN (DIRECT) DPD					
Dichlorophenyl diazonium	21504 23504	4 x 60 mL 1 x 60 mL	4 x 15 mL 1 x 15 mL	300 75	
BILIRUBIN (TOTAL) DPD					
Dichlorophenyl diazonium	21506 23506	8 x 60 mL 4 x 60 mL	8 x 15 mL 4 x 15 mL	600 300	
CALCIUM-ARSENAZO					
Arsenazo III	21570 23570	10 x 60 mL 4 x 60 mL	-	600 240	
CALCIUM-CRESOLPHTHALEIN					
O-Cresolphthalein complexone	21511 23511	8 x 60 mL 2 x 60 mL	8 x 15 mL 2 x 15 mL	600 150	
CARBON DIOXIDE (CO₂)					
Phosphoenolpyruvate carboxylase / Malate dehydrogenase	21558	2 x 60 mL	-	120	
CERULOPLASMIN NEW					
Turbidimetry	22340	1 x 40mL	1 x 10mL	50	
CHOLESTEROL					
Cholesterol oxidase / Peroxidase	21505 23505	10 x 60 mL 4 x 60 mL	-	600 240	
CHOLESTEROL HDL DIRECT					
Detergent	21557 23557	2 x 60 mL 1 x 60 mL	2 x 20 mL 1 x 20 mL	160 80	
CHOLESTEROL HDL DIRECT NEW					
TOOS	21594 23594	4x60mL 1x60mL	4x20mL 1x20mL	320 80	
CHOLESTEROL LDL DIRECT					
Detergent	21585 23585	2 x 60 mL 1 x 60 mL	2 x 20 mL 1 x 20 mL	160 80	
CHOLESTEROL LDL DIRECT NEW					
TOOS	21585 23585	1x60mL 25x60mL	1x20mL 25x20mL	80 2000	
CHOLINESTERASE (CHE)					
Butyrylthiocholine	21588	2 x 60 mL	2 x 15 mL	150	

Test	Code	RA	RB	mL/Kit	Comments
CITRATE <i>Citrate lyase/ Malate dehydrogenase</i>	23795	2 x 20 mL	2 x 5 mL	50	RB + Std Inc
COMPLEMENT COMPONENT C3 <i>Immunoturbidimetric assay</i>	23103	1 x 60 mL	1 x 15 mL	75	
COMPLEMENT COMPONENT C4 <i>Immunoturbidimetric assay</i>	23104	1 x 60 mL	1 x 15 mL	75	
C-REACTIVE PROTEIN (CRP) <i>Immunoturbidimetric latex assay</i>	22921 23921	4 x 60 mL 1 x 60 mL	4 x 15 mL 1 x 15 mL	300 75	
C-REACTIVE PROTEIN-er (CRP-er) <i>Immunoturbidimetric latex assay, extended range</i>	22942 23942	2 x 60 mL 1 x 60 mL	2 x 15 mL 1 x 15 mL	150 75	
C-REACTIVE PROTEIN hs (CRP-hs) <i>Immunoturbidimetric latex assay, high sensitivity</i>	22927 23927	2 x 60 mL 1 x 60 mL	2 x 15 mL 1 x 15 mL	150 75	
CREATINE KINASE (CK) <i>IFCC</i>	21790 23790	2 x 60 mL 1 x 60 mL	2 x 15 mL 1 x 15 mL	150 75	
CREATINE KINASE-MB (CK-MB) <i>Immunoinhibition</i>	21792 23792	2 x 60 mL 1 x 60 mL	2 x 15 mL 1 x 15 mL	150 75	
CREATININE <i>Jaffé-compensated</i>	21502 23502	5 x 60 mL 5 x 20 mL	5 x 60 mL 5 x 20 mL	600 200	
CREATININE ENZYMATIC <i>Enzymatic</i>	21734	2 x 60 mL	2 x 20 mL	160	
D-DIMER (DD) NEW <i>Immunoturbidimetric latex assay</i>	21519	1 x 20 mL	1 x 10 mL	30	
ETHANOL <i>Alcohol dehydrogenase</i>	21789	2 x 20 mL	2 x 7 mL	54	
FERRITIN <i>Immunoturbidimetric latex assay</i>	22934 23934	2 x 40 mL 1 x 40 mL	2 x 20 mL 1 x 20 mL	120 60	
FIBRINOGEN <i>Immunoturbidimetric assay</i>	23804	1 x 60 mL	1 x 15 mL	75	
FRUCTOSE <i>Hexokinase/ Phosphoglucose isomerase</i>	23794	1 x 60 mL	1 x 15 mL	75	Std Inc
γ-GLUTAMYL TRANSFERASE (γ-GT) <i>IFCC</i>	21520 23520	4 x 60 mL 2 x 60 mL	4 x 15 mL 2 x 15 mL	300 150	
GLUCOSE-HEXOKINASE <i>Hexokinase</i>	21656 23656	4 x 60 mL 1 x 60 mL	4 x 15 mL 1 x 15 mL	300 75	

Test	Code	RA	RB	mL/Kit	Comments
HAPTOGLOBIN NEW					
Immunoturbidimetric assay	23218	1 x 40 mL	1 x 10 mL	50	
HEMOGLOBIN A1C-DIRECT (HbA1C-DIR)					
Immunoturbidimetric latex assay	22047	2 x 60 mL	2 x 12 mL	144	
	22147	1 x 60 mL	1 x 12 mL	72	
HOMOCYSTEINE					
Enzymatic cycling	23737	1 x 20 mL	1 x 5.4 mL	25.4	
IMMUNOGLOBULIN A (IgA)					
Immunoturbidimetric assay	23101	1 x 60 mL	1 x 15 mL	75	
IMMUNOGLOBULIN G (IgG)					
Immunoturbidimetric assay	23100	1 x 60 mL	1 x 15 mL	75	
IMMUNOGLOBULIN M (IgM)					
Immunoturbidimetric assay	23102	1 x 60 mL	1 x 15 mL	75	
IRON-FERROZINE					
Ferrozine	21509	4 x 60 mL	4 x 15 mL	300	
	23509	2 x 60 mL	2 x 15 mL	150	
LACTATE					
Lactate oxidase/ Peroxidase	21736	4 x 60 mL	4 x 15 mL	300	
	23736	1 x 60 mL	1 x 15 mL	75	
LACTATE DEHYDROGENASE (LDH)					
Pyruvate	21580	8 x 60 mL	8 x 15 mL	600	
	23580	4 x 60 mL	4 x 15 mL	300	
LACTATE DEHYDROGENASE (LDH)-IFCC					
IFCC	21586	8 x 60 mL	8 x 15 mL	600	
	23586	2 x 60 mL	2 x 15 mL	150	
LIPASE NEW					
DGGR	21760	1 x 20 mL	1 x 10 mL	30	
MAGNESIUM					
Xylidyl blue	21797	2 x 60 mL	2 x 15 mL	150	
	23797	1 x 60 mL	1 x 15 mL	75	
NON-ESTERIFIED FATTY ACIDS (NEFA) NEW					
Acyl-CoA Oxidase/Peroxidase	21840	2 x 20 mL	2 x 7 mL	54	RA, RB

Test	Code	RA	RB	mL/Kit	Comments
OXALATE <i>Oxalate oxidase/ Peroxidase</i>	23539	1 x 20 mL	1 x 5 mL	25	Std Inc, RB, w/o tubes and pretreatment reagent
PHOSPHORUS <i>Phosphomolybdate/ UV</i>	21518 23518	4 x 50 mL 1 x 50 mL	4 x 20 mL 1 x 20 mL	280 70	
PREALBUMIN <i>Immunoturbidimetric assay</i>	23106	1 x 60 mL	1 x 15 mL	75	
PROTEIN (URINE+CSF) <i>Pyrogallol red</i>	21512 23512	8 x 20 mL 4 x 20 mL	- -	160 80	
PROTEIN (TOTAL) <i>Biuret</i>	21513 23513	2 x 60 mL 1 x 60 mL	2 x 20 mL 1 x 20 mL	160 80	
RHEUMATOID FACTORS (RF) <i>Immunoturbidimetric latex assay</i>	22922 23922	4 x 60 mL 1 x 60 mL	4 x 15 mL 1 x 15 mL	300 75	
TOTAL BILE ACIDS <i>Enzymatic cycling</i>	23551	1 x 60 mL	1 x 20 mL	80	
TRANSFERRIN <i>Immunoturbidimetric assay</i>	22105 23105	2 x 60 mL 1 x 60 mL	2 x 15 mL 1 x 15 mL	150 75	
TRIGLYCERIDES <i>Glycerol phosphate oxidase/ Peroxidase</i>	21528 23528	10 x 60 mL 4 x 60 mL	- -	600 240	
UNSATURATED IRON BINDING CAPACITY (UIBC) <i>Ferrozine</i>	21835	2 x 60 mL	2 x 15 mL	150	
UREA/ BUN-UV <i>Urease/ Glutamate dehydrogenase</i>	21516 23516	8 x 60 mL 4 x 60 mL	8 x 15 mL 4 x 15 mL	600 300	
URIC ACID <i>Uricase/Peroxidase</i>	21521 23521	10 x 60 mL 4 x 60 mL	- -	600 240	



BioSystems S.A.
Costa Brava 30, 08030 Barcelona (Spain)
t. +34 933 110 000
www.biosystems.global



Management System
ISO 9001:2015
ISO 13485:2016
www.tuv.com
ID 0091006696