
BioSystems

Autoimmunity product list




Clinical analysis human - centred biotech

BioSystems

A global biotechnology company that develops analytical solutions in the way you need.

+40 years offering quality products



Argentina Brazil Chile China France India ltalγ Когеа Mexico **Philippines** Portugal Romania Russia Spain Thailand Türkiye USA

+100 Markets with distributor partners

25K Users served

+780 People in 18 countries

02 Manufacturing sites

45K Analysers over 40 years

Summary


| Devices | 5 |
|--------------------------|----|
| iPRO | 6 |
| imLD | 10 |
| Reagents | 14 |
| Benefits of our reagents | 15 |
| Test menu | 16 |
| Immunofluorescence tests | 17 |
| Conjugates | 19 |
| Controls | 20 |
| ELISA | 21 |
| External quality control | 23 |
| | |





Immunofluorescence Processor

Dimensions




Highlights

- Adaptable racks to 3 sample tube types
- (13 mm x 75 mm, 15 mm x 100 mm or 2 mL).
 Reagents reservoirs: 1 L washing solution bottle, 3 L waste bottle, 3 L buffer bottle.
- Needle with conductimetric level detector.
- Slide washing flux system utilizing simultaneous dispensing and suction probes.
- On-board automatic barcode reader.

| Item | Quantity | Code |
|-------------------------------|------------|---------|
| iPRO processor | - | 84101 |
| PBS (10x) | 100 mL | 44592 |
| PBS (10x) | 500 mL | 44962 |
| Concentrated washing solution | 100 mL | BO13416 |
| iPRO dilution tubes (1.1 mL) | 120 strips | AC14682 |
| | | |











Fluorescence Microscope

Dimensions

220 mm

400 mm







Highlights

- Optical system infinity-corrected plan objectives (10x/0.25, 20x/0.40, 40x/0.65 and 100x/1.25).

 • High power blue LED fluorescence light (470-480 nm).
- Automatic light switch-off thanks to the iCare function.
- High speed camera: with sCMOS Sony sensor and high speed USB 3.0 connection.
- Intuitive and user-friendly software.

| Item | Code |
|-----------------------------------------------------------------|---------|
| imLD (optical microscope, fluorescence module, trinocular head) | 84201 |
| Trinocular head | AC17455 |
| Digital camera | AC17454 |
| Fluorescence module | AC17462 |
| 10x/0.25 objective | AC17540 |
| 20x/0.40 objective | AC17541 |
| 40x/0.65 objective | AC17542 |
| 100x/1.25 objective* | AC17543 |
| | |

^{*} This item is not included in the 84201 code.











Benefits of our reagents

Reduce costs and labour.

Several presentations of each reagent are available, with different volumes to adapt to your needs. Save costs and efforts by using our ready-to-use reagents with a shelf life of up to 36 months and high on-board stability.

Reduce risks, ensure results.

All our assays are validated according to reference methods and using different sample types, offering excellent accuracy and more reliable patient results.

Systemic solutions.

We seek to offer a complete solution to our users. By using our reagents together with our devices, optimal results are guaranteed. Standards and controls traceable to reference materials are available for most Autoimmune tests.

Get advice and support.

We offer additional material as brochures, scientific articles, technical sheets, and technical support for our reagents. Improve the patient care with all the help and advice tools provided by BioSystems.

Facilities and assistance all the way.

Ease your diagnostic routine with our complete portfolio of products and the automation system that matches your needs. Altogether, it allows you to perform the diagnosis of the most prevalent and relevant autoimmune diseases.

Test menu

SYSTEMIC AUTOIMMUNE DISEASES

Immunofluorescence

ANTI-NUCLEAR ANTIBODIES HEp-2 (ANA-HEp-2)

ANTI-nDNA ANTIBODIES (nDNA)

ANTI-NEUTROPHIL CYTOPLASMIC ANTIBODIES (ANCA)

ANTI-KERATIN ANTIBODIES (AKA)

AUTOANTIBODIES DUO

ELISA

ANA-SCREENING

ENA 6-SCREENING

ANTI-Sm ANTIBODIES

ANTI-Sm/RNP ANTIBODIES

ANTI-SSA (Ro) ANTIBODIES

ANTI-SSB (La) ANTIBODIES

ANTI-CENTROMERE B ANTIBODIES (CENP-B)

ANTI-Jo1 ANTIBODIES

ANTI-ScI70 ANTIBODIES

ANTI-HISTONES ANTIBODIES (HIST)

ANTI-NUCLEOSOME ANTIBODIES (NCL)

ANTI-dsDNA ANTIBODIES

ANTI-CITRULLINATED PROTEIN ANTIBODIES (ACPA)

ANTI-CARDIOLIPIN ANTIBODIES (ACA-IgG/IgM)

ANTI-PHOSPHOLIPID ANTIBODIES IgG/IgM (APLA)

ANTI-β2-GLYCOPROTEIN 1 ANTIBODIES IgG/IgM (β2-GP1)

ANTI-ANNEXIN V ANTIBODIES IgG/IgM (ANX)

ANTI-PR3 ANTIBODIES

ANTI-MPO ANTIBODIES

ORGAN-SPECIFIC AUTOIMMUNE DISEASES

Immunofluorescence

ANTI-ENDOMYSIUM ANTIBODIES (AEA)

AUTOANTIBODIES RL/RK/RS (ANA-AMA-ASMA-APCA-LKM)

AUTOANTIBODIES MsL/MsK/MsS (ANA-AMA-ASMA-APCA-LKM)

ANTI-ADRENAL CORTEX ANTIBODIES (AACA)

ANTI-STRIATED MUSCLE ANTIBODIES (AStMA)

ANTI-ISLET CELL ANTIBODIES (AICA)

ANTI-THYROID ANTIBODIES (ATA)

ANTI-SKIN ANTIBODIES (ASA)

GLOMERULAR BASEMENT MEMBRANE ANTIBODIES (GBMA)

ELISA

ANTI-TTRANSGLUTAMINASE IgA ANTIBODIES (Anti-tTG IgA)

ANTI-TTRANSGLUTAMINASE IgG ANTIBODIES (Anti-tTG IgG)

ANTI-DEAMIDATED GLIADIN (DGP-IgG)

ANTI-DEAMIDATED GLIADIN (DGP-IgA)

ANTI-SACCHAROMYCES CEREVISIAE ANTIBODIES IgG/IgA (ASCA)

ANTI-THYROID PEROXIDASE ANTIBODIES (anti-TPO)

ANTI-THYROGLOBULIN ANTIBODIES (anti-TG)

ANTI-INSULIN ANTIBODIES

ANTI-M2 ANTIBODIES (M2)

ANTI-GLOMERULAR BASEMENT MEMBRANE ANTIBODIES (GBM)

Immunofluorescence tests

| ANTI NUIGI EAD ANTIDODIECUIT. | | Description |
|---------------------------------------------------------|---------------|--------------------------------|
| ANTI-NUCLEAR ANTIBODIES HEp-2 | (ΔNΔ-HFn-2) | |
| ANTI NOCEENTANTIBOBIESTIES 2 | (AIVA TIEP 2) | HEp-2 cells |
| 44108 | 24 tests | Complete kit, 6 wells |
| 44508 | 60 tests | Complete kit, 6 wells |
| 44509 | 120 tests | Complete kit, 12 wells |
| 44546 | 10 slides | Slide box, 6 wells |
| 44547 | 10 slides | Slide box, 12 wells |
| ANTI-nDNA ANTIBODIES (nDNA) | | |
| ANTI-TIDINA ANTIBODIES (TIDINA) | | Crithidia luciliae |
| 44825 | 24 tests | Complete kit, 6 wells |
| 44818 | 60 tests | Complete kit, 6 wells |
| 44817 | 120 tests | Complete kit, 12 wells |
| 44820 | 10 slides | Slide box, 6 wells |
| 44819 | 10 slides | Slide box, 12 wells |
| | | |
| ANTI-NEUTROPHIL CYTOPLASMIC A | NTIBODIES (AN | |
| | | Ethanol fixed ANCA |
| 44850 | 24 tests | Complete kit, 6 wells |
| 44851 | 60 tests | Complete kit, 6 wells |
| 44852 | 10 slides | Slide box, 6 wells |
| | | Formalin fixed ANCA |
| 44878 | 10 slides | Slide box, 6 wells |
| 44898 | 60 tests | Complete kit, 6 wells |
| ANTI-ENDOMYSIUM ANTIBODIES (A | (EA) | |
| | | Monkey Oesophagus (Endomysium) |
| 44548 | 48 tests | Complete kit, 4 wells |
| 44715 | 96 tests | Complete kit, 8 wells |
| 44557 | 12 slides | Slide box, 4 wells |
| 44710 | 12 slides | Slide box, 8 wells |
| AUTOANTIBODIES RL/RK/RS (ANA-A | ΜΔ-ΔSΜΔ-ΔΡΟ | :∆-I KM) |
| 7.6167.11.11.262.12.11.11.11.11.11.11.11.11.11.11.11.11 | | Rat Liver/Kidney/Stomach |
| 44558 | 48 tests | Complete kit, 4 wells |
| 44648 | 96 tests | Complete kit, 8 wells |
| 44570 | 12 slides | Slide box, 4 wells |
| 44639 | 12 slides | Slide box, 8 wells |
| | | |
| AUTOANTIBODIES MsL/MsK/MsS (AN | NA-AMA-ASMA- | |
| 44000 | 40 " ' | Mouse Liver/Kidney/Stomach |
| 44826 | 12 slides | Slide box, 4 wells |
| 44827 | 12 slides | Slide box, 8 wells |
| GLOMERULAR BASEMENT MEMBRANE ANTIBODIES (GBMA) | | |
| | | Monkey Kidney |
| 44588 | 12 slides | Slide box, 4 wells |

| Code | Quantity | Description | |
|---------------------------------------|-----------|---------------------------------------------|--|
| ANTI-ADRENAL CORTEX ANTIBODIES (AACA) | | | |
| , , , , , , , , , , , , , , , , , | | Monkey Adrenal | |
| 44575 | 48 tests | Complete kit, 4 wells | |
| 44574 | 12 slides | Slide box, 4 wells | |
| ANTI-STRIATED MUSCLE ANTIBODIES (| (AC+N/A) | | |
| ANTI-STRIATED MOSCLE ANTIBODIES (| (ASTIVIA) | Rat Striated Muscle | |
| 44649 | 12 slides | Slide box, 4 wells | |
| ANTI IOLET OF LANTIDODIES (ALGA) | | | |
| ANTI-ISLET CELL ANTIBODIES (AICA) | | Marilan Barrara | |
| 44609 | 48 tests | Monkey Pancreas | |
| 44572 | 12 slides | Complete kit, 4 wells Slide box, 4 wells | |
| 77072 | 12 311003 | Onde Box, 4 wens | |
| ANTI-THYROID ANTIBODIES (ATA) | | | |
| | | Monkey Thyroid | |
| 44550 | 48 tests | Complete kit, 4 wells | |
| 44551 | 12 slides | Slide box, 4 wells | |
| ANTI CI/IN ANTIDODICC (ACA) | | | |
| ANTI-SKIN ANTIBODIES (ASA) | | Mankau Faankasua | |
| 44560 | 48 tests | Monkey Esophagus Complete kit, 4 wells | |
| 44561 | 12 slides | Slide box, 4 wells | |
| 44001 | 12 311403 | Onde Box, 4 wens | |
| ANTI-KERATIN ANTIBODIES (AKA) | | | |
| | | Rat Esophagus | |
| 44618 | 48 tests | Complete kit, 4 wells | |
| 44517 | 12 slides | Slide box, 4 wells | |
| ALITOANTIBODIES DUO | | | |
| AUTOANTIBODIES DUO | | LIEs O/Markov Lives | |
| 44874 | 60 tests | HEp-2/Monkey Liver Slide box, 6 wells | |
| 44074 | 00 tests | Slide box, 6 wells | |
| TISSUE SLIDES FOR RESEARCH USE ON | NLY (RUO) | | |
| 44571 | | Monkey Heart | |
| 44573 | | Monkey Ovary | |
| 44685 | | Monkey Sciatic Nerve | |
| 44684 | | Monkey Cerebellum | |
| 44589 | | Monkey Hypophysis | |
| 44688 | | Monkey Jejunum | |
| 44638 | | Monkey Submaxillary | |
| 44566 | | Monkey Testicle | |
| 44567 | | Monkey Hypothalamus | |
| 44725 | | Monkey Optio Norve | |
| 44683 | | Monkey Optic Nerve | |

Conjugates

| Code | Quantity | Description |
|------------------------------------------------|-----------------|-----------------------------------------------------------------|
| For Monkey tissues | y dantity | |
| IgG FITC/Evans (M) | | |
| 44847 | 3.5 mL | Anti-(Monkey adsorbed) IgG FITC conjugate, contains Evans Blue. |
| 44882 | 10 mL | For use with GBMA, AICA, ATA, ASA and AACA. |
| . 1.002 | | . 6. 466 With 6.2 Willy 1107 yr 117 yr 167 Canar Vilor II |
| IgG FITC/Evans (M) hs | | |
| 44914 | 3.5 mL | High sensitive Anti-(Monkey absorbed) IgG FITC conjugate, |
| | | contains Evans Blue. |
| 44915 | 10 mL | For use with AEA. |
| Id A FITO/Fyons | | |
| IgA FITC/Evans 44692 | 3.5 mL | Anti Ida FITO conjugata containa Franc Plus |
| 44692 44835 | 3.5 ML 10 mL | Anti-IgA FITC conjugate, contains Evans Blue. For use with AEA. |
| 44000 | TOTTLE | TOT USE WITH ALA. |
| For Rat and Mouse tissues | | |
| FITC/Evans (R) | | |
| 44590 | 3.5 mL | Anti-(Rat adsorbed) IgG, IgA, IgM FITC Conjugate, |
| | | contains Evans Blue. |
| 44836 | 10 mL | For use with ANA, AMA, ASMA, APCA and LKM. |
| For HEp-2, nDNA, ANCA and Rat and Mouse tissue | es | |
| IgG FITC/Evans | | |
| 44697 | 3 mL | Anti-IgG FITC conjugate, contains Evans Blue. |
| 44834 | 10 mL | For use with HEp-2, nDNA, ANCA, AStMA, AKA, ANA, AMA, |
| | | ASMA, APCA and LKM |
| | | |
| Auxiliary Reagents | | |
| Miscellaneous | | |
| 44592 | 100 mL | PBS (10x) |
| 44962 | 500 mL | PBS (10x) |
| 44694 | 3 mL | Mounting medium |
| 44846 | 10 mL | Glycin (for GBMA) |
| 44897 | 100 u. | Coverslips (24 x 60 mm) |

Controls

| Code | Quantity | Description |
|-------|----------|------------------------------------------------------|
| 44696 | 0.3 mL | Negative Control |
| 44889 | 2.0 mL | Negative Control |
| 44502 | 0.3 mL | Anti-Nuclear Antibodies-Homogeneous Positive Control |
| 44890 | 2.0 mL | Anti-Nuclear Antibodies-Homogeneous Positive Control |
| 44585 | 0.3 mL | Anti-Nuclear Antibodies-Centromere Positive Control |
| 44504 | 0.3 mL | Anti-Nuclear Antibodies-Nucleolar Positive Control |
| 44503 | 0.3 mL | Anti-Nuclear Antibodies-Speckled Positive Control |
| 44549 | 0.3 mL | Anti-Endomysium Antibodies IgA Positive Control |
| 44893 | 2.0 mL | Anti-Endomysium Antibodies IgA Positive Control |
| 44732 | 0.3 mL | Anti-Endomysium Antibodies IgG Positive Control |
| 44512 | 0.3 mL | Anti-Mitochondrial Antibodies Positive Control |
| 44891 | 2.0 mL | Anti-Mitochondrial Antibodies Positive Control |
| 44522 | 0.3 mL | Anti-Smooth Muscle Antibodies Positive Control |
| 44892 | 2.0 mL | Anti-Smooth Muscle Antibodies Positive Control |
| 44553 | 0.3 mL | Anti-Thyroid Antibodies Positive Control |
| 44542 | 0.3 mL | Anti-nDNA Antibodies Positive Control |
| 44894 | 2.0 mL | Anti-nDNA Antibodies Positive Control |
| 44854 | 0.3 mL | C-ANCA Positive Control |
| 44912 | 2.0 mL | C-ANCA Positive Control |
| 44855 | 0.3 mL | P-ANCA Positive Control |
| 44913 | 2.0 mL | P-ANCA Positive Control |

ELISA

| Code | Quantity | Description |
|--------------------------------------------|--------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| ANA-SCREENING 44785 | 96 tests | Purified SSA(Ro), SSB(La), Sm/RNP, RNP (70, A and C), Sm, ScI70, Jo1, dsDNA, ssDNA, nucleosomes, total histones, PMScI 100, Centromere B |
| ENA 6-SCREENING 44740 | 96 tests | SSA (Ro), SSB (La), Sm, Sm/RNP, Jo1, ScI70 |
| ANTI-Sm ANTIBODIES 44755 | 96 tests | Highly purified human antigen |
| ANTI-Sm/RNP ANTIBODIES 44770 | 96 tests | Highly purified human antigen |
| ANTI-SSA (Ro) ANTIBODIES 44765 | 96 tests | Highly purified antigen |
| ANTI-SSB (La) ANTIBODIES 44750 | 96 tests | Highly purified antigen |
| ANTI-CENTROMERE B ANTIBODIES (CEN 44865 | P-B) 96 tests | Recombinant antigen |
| ANTI-Jo1 ANTIBODIES 44864 | 96 tests | Highly purified antigen |
| ANTI-ScI70 ANTIBODIES 44863 | 96 tests | Highly purified antigen |
| ANTI-HISTONES ANTIBODIES (HIST) 44862 | 96 tests | Highly purified antigen |
| ANTI-NUCLEOSOME ANTIBODIES (NCL) 44861 | 96 tests | Purified antigen |
| ANTI-dsDNA ANTIBODIES 44705 | 96 tests | Calf thymus antigen |
| ANTI-CITRULLINATED PROTEIN ANTIBOD 44860 | OIES (ACPA) 96 tests | Highly purified antigen |
| ANTI-CARDIOLIPIN ANTIBODIES (ACA-Igo 44780 | G/IgM) 96 tests | Highly purified antigen |
| ANTI-PHOSPHOLIPID ANTIBODIES IgG/Ig 44867 | M (APLA) 96 tests | Mixture of cardiolipin, phosphatidyl serine, phosphatidyl inositol, phosphatidic acid and human §2-Glycoprotein 1 |
| ANTI-β2-GLYCOPROTEIN 1 ANTIBODIES Ig | <mark>G/IgM (β2-G</mark> 96 tests | <mark>P1)</mark> Highly purified antigen |
| ANTI-ANNEXIN V ANTIBODIES IgG/IgM (A 44869 | NX) 96 tests | Highly purified antigen |

| Code | Quantity | Description |
|------------------------------------|----------------------|------------------------------------------------------------|
| ANTI DECANTIDADIES | | |
| ANTI-PR3 ANTIBODIES | | |
| 44791 | 96 tests | Purified human antigen |
| ANTI MPO ANTIPODIEC | | |
| ANTI-MPO ANTIBODIES | 00. | D 10 11 |
| 44790 | 96 tests | Purified human antigen |
| ANTI-GLOMERULAR BASEMENT MEMBR | ANE ANTIDO | DIEC (CDM) |
| 44870 | 96 tests | |
| 44870 | 96 tests | Highly purified antigen |
| ANTI-tTRANSGLUTAMINASE IgA ANTIBOI | DIES (ApH +T | -C lay) |
| 44754 | 96 tests | Recombinant human antigen activated by calcium and gliadin |
| 447.04 | 90 เ ยรเร | Hecombinant numan antigen activated by calcium and gliadin |
| ANTI-tTRANSGLUTAMINASE IgG ANTIBO | DIES (Apti_t] | IC IdC) |
| 44798 | 96 tests | Recombinant human antigen activated by calcium and gliadin |
| 44790 | ฮิบ เฮรเร | Hecombinant numan antigen activated by calcium and gliadin |
| ANTI-DEAMIDATED GLIADIN (DGP-IgG) | | |
| 44884 | 96 tests | Synthetic deamidated gliadin |
| 44004 | 30 (63)3 | Synthetic dearmated gliadin |
| ANTI-DEAMIDATED GLIADIN (DGP-IgA) | | |
| 44885 | 96 tests | Synthetic deamidated gliadin |
| 44000 | 00 (03)3 | Synthetic dearmatica gilaam |
| ANTI-SACCHAROMYCES CEREVISIAE AN | ITIRODIES Id | ις/ΙσΔ (ΔSCΔ) |
| 44872 | 96 tests | Highly purified mannan from Saccharomyces cerevisiae |
| 77012 | 00 10010 | riigiiij pariiica maimari nom caccharoniyees cerevisiae |
| ANTI-THYROID PEROXIDASE ANTIBODIE | S (anti-TPO) | |
| 44795 | 96 tests | Recombinant human thyroid Peroxidase |
| | 0010010 | Tioodinaman anjiraa voidinaado |
| ANTI-THYROGLOBULIN ANTIBODIES (an | ti-TG) | |
| 44796 | 96 tests | Highly purified human antigen |
| | | 0 11 |
| ANTI-INSULIN ANTIBODIES | | |
| 44873 | 96 tests | Mixture of recombinant and purified insulin |
| | 101000 | |
| ANTI-M2 ANTIBODIES (M2) | | |
| 44871 | 96 tests | Highly purified mitochondrial M2 subtype antigen |
| | | <u> </u> |

External quality control

International External Quality Assessment Scheme.



- Yearly program for the comparison of results between laboratories.
- Monthly and quarterly measurements of different control materials.
- The final report summarises all monthly and quarterly reports, and shows additional data on performance.
- On-line participation through www.prevecal.net.

| Code | Quantity | Components |
|--------------------|-------------|--------------------------------------------------------------|
| PREVECAL HEp-2 IFA | | |
| 18046 | 12 x 0.3 mL | Anti-HEp-2 Cells Antibodies. |
| PREVECAL ANCA | | |
| 18056 | 4 x 0.3 mL | Anti-Neutrophil Cytoplasmic Antibodies. |
| DDEVECAL DATA | | |
| PREVECAL nDNA | | |
| 18047 | 12 x 0.3 mL | Anti-nDNA Antibodies. |
| | | |
| PREVECAL CELIAC | | |
| 18051 | 4 x 0.3 mL | Anti-Endomysium, Anti-tTG, Anti-Gliadin, and DGP Antibodies. |

All kits include general instructions.



